

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14568	707/3 or 707/4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:13
L2	9	1 and (UDF same (data near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:13
L3	49	(UDF same (data near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:13
L4	0	(UDF same (data near2 types)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:13
L5	4	(UDF same (data near2 types)) and (table near2 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/22 09:13

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

UDF and type checking

Search

[Advanced Search](#)
[Preferences](#)

The "**AND**" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results **1 - 10** of about **47,100** for **UDF and type checking**. (0.30 seconds)

IsNumericEx UDF - Data **type** aware | The Bereznikers

IsNumericEx **UDF** - Data **type** aware. By Sergey - Posted on November 22nd, ... It doesn't **check** if the numeric value is in the range for specified data **type** ...
www.berezniker.com/content/pages/sql/microsoft-sql-server/isnumericex-udf-data-type-aware - 26k - [Cached](#) - [Similar pages](#)

Type Checking for JavaScript

the typed variant for **type checking**. This would be the foundation for a tool **Udf**. otherwise. Some members of an object **type** are annotated with ? ...
linkinghub.elsevier.com/retrieve/pii/S1571066105051340 - [Similar pages](#)

Final Thoughts On CFParm And Data **Type** Validation : Kinky ...

Disable CFC **Type Check** When checked, **UDF** arguments of CFC **type** is not validated. The arguments are treated as **type** "ANY". Use this setting in a production ...
www.bennadel.com/blog/1055-Final-Thoughts-On-CFParm-And-Data-**Type**-Validation.htm - 49k - [Cached](#) - [Similar pages](#)

Creating Managed-Code **UDFs** for Excel Services

In the Assembly box, **type** the path to the **UDF** assembly that contains the code created ... make sure that the Open in Excel Services **check** box is selected. ...
msdn2.microsoft.com/en-us/library/bb428649.aspx - 30k - [Cached](#) - [Similar pages](#)

[FLASH] 100 / 100 <P ALIGN="CENTER"><FONT FACE="Arial" SIZE="24" COLOR ...

File Format: Shockwave Flash

Creating **UDF's** The three tags used to create **UDF's** in ColdFusion MX are: ... Parameter **Type Checking** Some functions accept optional parameters, ...
www.forta.com/cf/resources/flash/CFMXUDF.swf - [Similar pages](#)

MySQL AB :: MySQL 5.1 Reference Manual :: 27.3.4 Adding a New User ...

UDF-related symbols and data structures are defined in the include/mysql_com.h ... To **check** that the arguments are of a required **type** or, alternatively, ...
dev.mysql.com/doc/refman/5.1/en/adding-udf.html - 22k - [Cached](#) - [Similar pages](#)

Roxio Community > Discs After Burn Problems

UDF Format **Type** V1.02 **UDF** Volume Name Monster DVD 1 I went to several labs and and asked some people with laptops to **check** and some drives read it and ...
forums.support.roxio.com/lofiversion/index.php/t10293.html - 16k - [Cached](#) - [Similar pages](#)

Dr. Dobb's | Extenders, **UDFs**, and Stored Procedures | August 1, 1999

SQLJ provides static SQL **type checking** and simplifies Java database ... To implement a **UDF** or stored procedure, you compile a program and create a DLL, ...
www.ddj.com/database/184411020 - 59k - [Cached](#) - [Similar pages](#)

Why are my MCC 02RG20 disks unreadable??? - Club CD Freaks ...

Welcome to CD Freaks, **check** out the latest digital storage news; ... Mode : **UDF**/ISO bridge **UDF** Options : automatic **UDF** Revision : 1.02 **UDF** Partition **Type** ...
club.cdfreaks.com/f33/why-my-mcc-02rg20-disks-unreadable-236518/ - 152k - [Cached](#) - [Similar pages](#)

Magic Wiki-Wakka: Magic DLLs

Magic will use **type checking** on parameters (possible due to the ... If you used `_stdcall` for your "hybrid" DLL, usage of **UDF** is not possible anymore. ...

www.ng-sw.de/mg-wikka/MagicDLLs - 20k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

UDF and type checking

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)